

Somfy TaHoma Switch Quick App

for FIBARO Home Center 3

Version 0.9 (April 2022)

Copyright (c)2022 [Joep Verhaeg](#)

Table of Contents

Table of Contents	1
Preface	1
Commands	2
Device status	2
Installation	2
Prerequisites	2
Quick App installation	2
Quick App configuration	3
Documentation	3
Support	3
Disclaimer	3

Preface

This manual will guide you through the steps to integrate the **Somfy TaHoma Switch** and the **FIBARO Home Center 3**.

The Quick App supports the following device types:

Device	Tested
Roller shutter	Yes
Exterior screen	Yes
Screen	No
Awning	Yes
Pergola	No
Garage door	No
Window	No
Venetian blind	Yes
Exterior venetian blind	No

Commands

The standard **open**, **close** and **level** commands are supported. **Automatically the Favorite Position button is mapped to the My button on the Somfy system.**

Device status

Most Somfy devices are not capable of reporting their status. Devices that use the IO protocol are capable but at the moment this is not implemented in this Quick App. You need to be aware of this when creating scenes with the HC3. Maybe I will implement this in the future, but I can't say when.

Installation


Prerequisites

Before you can integrate your Somfy devices into the Home Center 3 (HC3) you must meet the following prerequisites:

1. You need a [TaHoma switch](#),
2. Your Somfy devices needs to be **configured** and **connected** to the TaHoma switch via the TaHoma app,
3. This Somfy TaHoma Quick App installed on your HC3.

Quick App installation

1. **Start** your favorite browser and open your Home Center 3 dashboard by typing the correct URL for your HC3,
2. Go to **Settings** and **Devices**,
3. **Click** the blue + icon to add a new device,
4. In the **Add Device** dialog click on **Other Device**,
5. **Open** the file **TaHoma_Switch.fqa** from the folder where you extracted the ZIP,
6. Select **Upload File**:



7. The Quick App will now be installed and becomes visible in the device list,
8. Additionally you can change the icon of the Quick App with the attached icon.

Quick App configuration

1. Go to **Settings** and **Devices**,
2. **Expand** the imported **Tahoma Switch** device,
3. **Select** the **Variables** tab,
4. Fill in the **userid** and **userPassword** fields with the credentials you use to login the TaHoma app on your phone or tablet.
5. If you press the blue **Save** button the Quick App will be initialized, reads all devices from the TaHoma box and automatically creates child devices in your HC3.

Documentation

You can read the full documentation of the Somfy TaHoma Switch Quick App at:
<https://docs.joepverhaeg.nl/somfy/>

Support

The Somfy API may change in the future and I cannot provide any support or advice of any kind when you use my Quick App. I made this Quick App in my spare time as a hobby and am publishing the Quick App for others to enjoy the integration in their smart homes too.

Disclaimer

This Quick App has been written in such a way that it respects the Somfy API guidelines. Your use of the Somfy TaHoma switch Quick App is solely at your own risk. If your public IP address is blocked by the Somfy API servers, that is your own responsibility. If Somfy changes or stops offering the API that this Quick App uses, I will not be responsible for the failure of automations made with this Quick App.

More interested FIBARO integrations and scenes can be found on my 'smart home adventure' blog:
<https://docs.joepverhaeg.nl>